

MILLING & MIXING
MACHINE



EASY TO USE COMPACT SAFE

HIGH CAPACITY
LOW ENERGY CONSUMPTION

1.5ton/hour
12kW

DUSTPROOF CLOSED SYSTEM
TO PREVENT FROM LOSSES
CAUSED BY DUST EMISSION.

MAXIMUM SAFETY FOR HUMAN AND MACHINE

UNLOADING PIPE

SENSITIVE DOSING SCALE

1500kg Capacity
500gr Accuracy




STAINLESS STEEL DOSING INDICATOR

Li-Ion Battery

Net and Gross Weights on Display
Memory of Total Production

3. pcs ALLOY STEEL LOEAD CELLS



PREMIX LOADING HOPPER



- Phase sequence relay to prevent turning reverse
- Residual current device(RCD) to prevent electric shock risk
- Digital ampermeter to display current of milling motor
- Emergency stop button to cut electric flux
- Lightened Start - Stop buttons for milling and mixing motors.
- Using instructions on the side surface

HAMMER MILL



- 42 pcs. Strengthened double sided steel
- "Miller Door Control" switch to prevent machine from starting when the door is open

AIR CONTROL FLAP & MAGNET



- Protection of screen and blades by stopping iron materials via magnet
- Manually adjustable damper allows moving of ingredients to the miller and work with maximum efficiency

Milling Capacity (%13 Moisture)

		Screen Diameter			
		3mm	4mm	5mm	6mm
kg/h	CORN	1900	2300	2600	3000
	WHEAT	1800	2100	2300	2500
	BARLEY	1500	1700	2000	2200

TECHNICAL SPECIFICATIONS	
HEIGHT	3025mm
WIDTH	2100mm
LENGTH	1900mm
MIXING HOPPER	1000kg
INGREDIENTS HOPPER (to be milled)	450kg
PREMIX HOPPER	50kg
WEIGHT	800kg
PRODUCTION CAPACITY	1500kg/h
SCALE	TOINAK/S TYPE EASY-2X
TOTAL POWER	12kW
PAINT	Electrostatic Powder Coat
MILLING UNIT	
MILLING BLADES	42 pcs. (Double Sided)
SCREEN DIAMETER	3-4-5-6mm
TRANSFER	Internal Fan
MOTOR POWER	7,5 kW (10 HP)
MAGNET	Cleanable
MIXING UNUT	
MIXING TYPE	Vertical Screw Helix, Gravitational Circulation
MOTOR POWER	4 kW (5,5 HP)

TOINAK[®]
a brand of TEMPA TEKNİK

Head Office & Factory

Marmaracık Mh. 1984. Sk. No:12 Ergene / TEKİRDAĞ
+90 282 673 68 60
satis@toinak.com



TEMPA
TEKNİK

İstanbul Office & R&D

Esencehir Mh. İlkyaz Sk. No:32 Ümraniye / İSTANBUL
+90 216 510 48 85
sales@toinak.com

